



HIEP HOA AUTOMOTIVE GROUP JOINT STOCK COMPANY

Factory: Minh Duc Industrial Zone, Minh Duc Commune, My Hao Town, Hung Yen, Vietnam
Tel: 0321.3955905 / Fax: 0321.3955904
Website: www.hiephoa.com.vn

Office: No 42-D5B, Lane 679 Lac Long Quan Street, Phu Thuong Commune, Tay Ho, Hanoi 100000, Vietnam
Tel: 04.3773.6038 / Fax: 04.37731962
Email: office@hiephoa.com.vn

GARBAGE COMPACTOR



"The garbage compactor was made to serve people in waste treatment, with a compactor system to optimize the ability to collect and transport garbage. The garbage compactor is a specialized vehicle which is extremely important and useful in the field of environmental protection and cleaning."



DURABLE OVER TIME

Manufacturing materials is high-strength specialized steel imported from Japan and Europe. Maximum tensile stress is from $\geq 690 \text{ N/mm}^2$. Durability over 10 years.

QUALITY IS TRUST

Assembly components are imported directly from Europe, cylinders assembled by Hiep Hoa Group are consistent with the weather and terrain in Vietnam.

OUTSTANDING IN DESIGN

The top of the tank curves evenly upward to create pre-tensioning, and the discharge table rail is placed high off the floor to avoid being immersed in water. The glossy paint on the surface of garbage trucks imported from Germany has the advantage of being durable over time, especially in hot and humid environments like in Vietnam.

TRASH LOADING STRUCTURE

The vehicles have a variety of garbage carrying capacities from 1.2 tons to 11.25 tons. The garbage loading structure is custom designed according to the





HIEP HOA AUTOMOTIVE GROUP JOINT STOCK COMPANY

Factory: Minh Duc Industrial Zone, Minh Duc Commune, My Hao Town, Hung Yen, Vietnam
Tel: 0321.3955905 / Fax: 0321.3955904
Website: www.hiephoa.com.vn

Office: No 42-D5B, Lane 679 Lac Long Quan Street, Phu Thuong Commune, Tay Ho, Hanoi 100000, Vietnam
Tel: 04.3773.6038 / Fax: 04.37731962
Email: office@hiephoa.com.vn

ENVIRONMENTAL FRIENDLY

The vehicle is equipped with a hydraulic press lid that opens and closes, ensuring environmental hygiene and urban aesthetics.

customer's specific needs (garbage scoop or multi-purpose grabber).

The hydraulic system is assembled by Hiep Hoa Group with a damping feature at the end of the journey to help the vehicle operate more smoothly. Avoid collisions that damage public trash cans.

TECHNICAL SPECIFICATIONS

MODEL		ISUZU				
		FVZ	FVR	FRR	NQR	QKR
DESCRIPTION						
Dimension	Length (mm)	~8930	~8130	~6600	~6490	~5000
	Width (mm)	~2500	~2490	~2340	~2255	~1860
	Height (mm)	~3500	~3250	~2740	~2680	~2300
Payload (kg)		11250	6800	4700	3490	1200
Vehicle gross weight (kg)		24000	16000	11000	9500	5000
Material		High strength specialized steel, imported from Japan and Europe Tensile stress: $\geq 690 \text{ N/mm}^2$				
Hydraulic pumps, hydraulic valves, hydraulic cylinders		Imported from Italy, New 100%				



GARBAGE COLLECTING TRUCK





HIEP HOA AUTOMOTIVE GROUP JOINT STOCK COMPANY

Factory: Minh Duc Industrial Zone, Minh Duc Commune, My Hao Town, Hung Yen, Vietnam
Tel: 0321.3955905 / Fax: 0321.3955904
Website: www.hiephoa.com.vn

Office: No 42-D5B, Lane 679 Lac Long Quan Street, Phu Thuong Commune, Tay Ho, Hanoi 100000, Vietnam
Tel: 04.3773.6038 / Fax: 04.37731962
Email: office@hiephoa.com.vn



"This garbage collecting truck is a type of garbage truck, designed to be small, compact and convenient for garbage collection in the streets, alleys and lanes And transport garbage to central points trash collection"

ADVANTAGES

- ✚ The truck is manufactured and fully assembled on modern technological lines
- ✚ The chassis platform is durable, lightweight, and compact to meet the needs of traveling on small streets and alleys.
- ✚ The specialized system is made from materials imported from Italy and Japan, so it has very good quality and high durability.
- ✚ The truck completely meets the operating conditions in the hot and humid environment.

GARBAGE LOADING STRUCTURE

- ✚ The rear of the vehicle has a mechanism to lift the X-shaped container and take the container back 400 mm to discharge garbage into the garbage compactor trough.
- ✚ The vehicle has a platform for people to stand at the back to collect trash and put it to the vehicle
- ✚ To ensure durability as well as the vehicle's load is not overloaded. Hiep Hoa Company has reduced the thickness of the steel and replaced it with high-strength specialized steel imported from Japan.





HIEP HOA AUTOMOTIVE GROUP JOINT STOCK COMPANY

Factory: Minh Duc Industrial Zone, Minh Duc Commune, My Hao Town, Hung Yen, Vietnam
 Tel: 0321.3955905 / Fax: 0321.3955904
 Website: www.hiephoa.com.vn

Office: No 42-D5B, Lane 679 Lac Long Quan Street, Phu Thuong Commune, Tay Ho, Hanoi 100000, Vietnam
 Tel: 04.3773.6038 / Fax: 04.37731962
 Email: office@hiephoa.com.vn

TECHNICAL SPECIFICATIONS

MODEL		THACO TOWNER800A		ISUZU QKR77FE4	
		DESCRIPTION			
Dimension	Length (mm)	~ 3590mm	~ 4920mm		
	Width (mm)	~ 1480mm	~1860 mm		
	Height (mm)	~ 1860 mm	~2330 mm		
Load weight (kg)		~550	~1400		
Gross vehicle weight (kg)		1870	5000		
Material		High strength specialized steel, imported from Japan and Europe Tensile stress: ≥ 690 N/mm ²			
Hydraulic pump, hydraulic valve, hydraulic cylinder		Imported from Italy, New 100%			





HIEP HOA AUTOMOTIVE GROUP JOINT STOCK COMPANY

Factory: Minh Duc Industrial Zone, Minh Duc Commune, My Hao Town, Hung Yen, Vietnam
Tel: 0321.3955905 / Fax: 0321.3955904
Website: www.hiephoa.com.vn

Office: No 42-D5B, Lane 679 Lac Long Quan Street, Phu Thuong Commune, Tay Ho, Hanoi 100000, Vietnam
Tel: 04.3773.6038 / Fax: 04.37731962
Email: office@hiephoa.com.vn

HOOKLIFT TRUCK



“The type of garbage truck with a hooklift system structure serves to transport waste by a tank that can be separated from the hooklift vehicle. Specializing in transporting garbage and waste, the Hooklift truck is truly a leading vehicle in the field of waste transportation.”

ADVANTAGES

- ✦ The vehicle has a separate tank containing waste materials with a capacity of 2 - 10.5 tons.
- ✦ Made from solid steel bars without welding and joining together, the vehicle structure is always solid, compact and highly aesthetic.

GARBAGE LOADING STRUCTURE

- ✦ Hydraulic cylinder lifting system helps to lift trash cans onto the vehicle and dispose trash
- ✦ The trash container parts are separated to be pulled and placed on the vehicle when transport is needed or placed permanently at the garbage collection location





HIEP HOA AUTOMOTIVE GROUP JOINT STOCK COMPANY

Factory: Minh Duc Industrial Zone, Minh Duc Commune, My Hao Town, Hung Yen, Vietnam
 Tel: 0321.3955905 / Fax: 0321.3955904
 Website: www.hiephoa.com.vn

Office: No 42-D5B, Lane 679 Lac Long Quan Street, Phu Thuong Commune, Tay Ho, Hanoi 100000, Vietnam
 Tel: 04.3773.6038 / Fax: 04.37731962
 Email: office@hiephoa.com.vn

- ✚ The vehicle's brake system is modern and controlled by vacuum-assisted compressed air.
- ✚ The vehicle is painted, decorated, printed with logos and stickers according to customers' requests.

underground.

- ✚ Garbage loading and unloading mechanism: Load garbage through the top door of the container using excavators, conveyors, bridges... and discharge through the rear door.

TECHNICAL SPECIFICATIONS

MODEL		FVZ	FVR	FRR
DESCRIPTION				
Dimension	Length (mm)	~ 7540	~7540	~ 6000
	Width (mm)	~ 2500	~2500	~2280
	Height (mm)	~ 3500	~3050	~2800
Load weight (kg)		≥ 10500	≥ 6400	~6400
Gross vehicle weight (kg)		24000	16000	11000
Material		High strength specialized steel, imported from Japan and Europe Tensile stress: ≥ 690 N/mm ²		
Hydraulic pump, hydraulic valve, hydraulic cylinder		Imported from Italy, New 100%		

